

IN THE CLAIMS:

Please amend Claims 23, 26, and 27 as follows. In accordance with the revised amendment format, all claims are presented below.

Claims 1-22 (Cancelled)

C. Claim 23. (Currently amended) A data processing apparatus connectable to a LAN, comprising:

an input unit adapted to input data;  
an identification unit adapted to identify obtain user information about a user for whom the data inputted by said input unit was received;  
a transfer unit adapted to transfer the data inputted by said input unit to a terminal connected to the LAN; and  
a generation unit adapted to generate a predetermined signal, based on the user information obtained by said identification unit, to notify the user that the data has been transferred by said transfer unit.

Claim 24. (Previously added) A data processing apparatus according to Claim 23, further comprising:

a storage unit adapted to store information used to discriminate to which terminal the data is transferred by said transfer unit.

Claim 25. (Previously added) A data processing apparatus according to  
Claim 23, wherein said transfer unit transfers the data inputted by said input unit when a  
printer for printing the data is in an error state.

Claim 26. (Currently amended) A method of controlling a data processing  
apparatus connectable to a LAN, comprising the steps of:

inputting data;  
identifying obtaining user information about a user for whom the  
data inputted in said inputting step was received;  
transferring the data inputted in said inputting step to a terminal  
connected to the LAN; and  
generating a predetermined signal, based on the user information  
obtained in said obtaining step, to notify the user that the data has been transferred in said  
transferring step.

Claim 27. (Currently amended) A computer-readable storage medium

storing a program for implementing a method of controlling a data processing apparatus connectable to a LAN, wherein the method comprises the steps of:

inputting data;

identifying obtaining user information about a user for whom the  
data inputted in the inputting step was received;

transferring the data inputted in said inputting step to a terminal connected to the LAN; and

generating a predetermined signal, based on the user information obtained in said obtaining step, to notify the user that the data has been transferred in the transferring step.